

View Online at <https://aerobasegroup.com/nsn/4320-00-529-3845>

Prime Mover Quantity:

1

Cylinder Quantity:

1

Intake Connection Quantity:

1

Intake Connection Type:

Threaded internal

Discharge Connection Quantity:

1

Discharge Connection Type:

Threaded internal

Current Type:

Dc

Media For Which Designed:

Hydrocarbon fuels and oils

Pump Quantity:

1

Pumping Element Type:

Piston

Maximum Discharge Flow Rate:

3.2 gallons per minute

Discharge Pressure:

2000.0 pounds per square inch gage

Operating Speed At Rated Capacity:

2200.0 revolutions per minute

Pumping Element Operating Position:

Horizontal

Pump Reciprocating Design:

Single acting

Reciprocating Stroke Type:

Fixed

Volume Control Type:

Hydraulic cylinder

Control Location:

Center

Prime Mover Type:

Electric motor

Current Rating In Amps:

200.0

Discharge Connection Thread Size And Series/type Designator:

0.562-18 unf

Intake Connection Thread Size And Series/type Designator:

1.062-12 un

Prime Mover Power Rating:

5.200 horsepower

Voltage In Volts:

26.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A19400