NSN 4320-00-540-2344

Rotary Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-00-540-2344

Prime Mover Quantity:
1
Prime Mover Cooling Medium:
Air
Mounting Type:
Base
Intake Connection Quantity:
1
Intake Connection Type:
Threaded internal
Discharge Connection Quantity:
1
Discharge Connection Type:
Threaded internal
Current Type:
Ac
Environmental Protection:
Dripproof
Pump Quantity:
1
Maximum Discharge Flow Rate:
70.0 gallons per minute
Discharge Pressure:
65.0 pounds per square inch gage
Total Head:
140.000 feet
Pumping Element Operating Position:
Horizontal
Rotary Pump Design:
Vane
Operation Relationship Design:
Simultaneous
Prime Mover Type:
Electric motor
Inclosure Type:
Partially enclosed
Discharge Connection Thread Size And Series/type Designator:
1.250-11-1/2 npsi
Intake Connection Thread Size And Series/type Designator:
1.500-11-1/2 npsi
Prime Mover Power Rating:
1.500 horsepower

NSN 4320-00-540-2344Rotary Pump Unit - Page 2 of 2



voitage in voits:
208.0
Phase:
Three
Frequency In Hertz:
60.0
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A19400