## NSN 4320-00-580-8464

Centrifugal Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-00-580-8464

Prime Mover Quantity:
1
Stage Quantity:
1
Intake Connection Quantity:
1
Intake Connection Type:
Unthreaded external
Discharge Connection Quantity:
1
Discharge Connection Type:
Round flange
Current Type:
Dc
Media For Which Designed:
Water, fresh
Environmental Protection:
Dripproof
Pump Quantity:
1
Maximum Discharge Flow Rate:
20.0 gallons per minute
Total Head:
92.000 feet
Operating Speed At Rated Capacity:
3500.0 revolutions per minute
Pumping Element Operating Position:
Vertical
Centrifugal Pump Design:
Radial flow
Centrifugal Pump Impeller Quantity:
1
Centrifugal Pump Impeller Suction Type:
Single
Prime Mover Type:
Electric motor
Inclosure Type:
Partially enclosed
Prime Mover Power Rating:
3.000 horsepower
Voltage In Volts:
230.0

## NSN 4320-00-580-8464

Centrifugal Pump Unit - Page 2 of 2



Reference Number Differentiating Characteristic	istics:	Character	ntiating	Diffe	Number	erence	Ref
---	---------	-----------	----------	-------	--------	--------	-----

As differentiated by w/o repair parts and tools

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A19400