## NSN 4320-00-585-6410

Centrifugal Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-00-585-6410

Prime Mover Quantity:
1
Prime Mover Cooling Medium:
Air
Stage Quantity:
1
Intake Connection Quantity:
1
Intake Connection Type:
Round flange
Discharge Connection Quantity:
1
Discharge Connection Type:
Round flange
Current Type:
Ac
Media For Which Designed:
Water, salt
Environmental Protection:
Dripproof
Pump Quantity:
1
Cooling Method:
Self ventilated
Maximum Discharge Flow Rate:
5600.0 gallons per minute
Total Head:
45.000 feet
Suction Lift:
8.000 feet
Operating Speed At Rated Capacity:
1160.0 revolutions per minute
Pumping Element Operating Position:
Vertical
Centrifugal Pump Design:
Radial flow
Centrifugal Pump Impeller Quantity:
1
Centrifugal Pump Impeller Suction Type:
Single
Prime Mover Type:
Electric motor

## NSN 4320-00-585-6410

Centrifugal Pump Unit - Page 2 of 2



Inclosure Type:
Partially enclosed
Current Rating In Amps:
123.0
Voltage In Volts:
440.0
Phase:
Three
Frequency In Hertz:
60.0
Reference Number Differentiating Characteristics:
Reference Number Differentiating Characteristics: As differentiated by counter clockwise rotation
_
As differentiated by counter clockwise rotation
As differentiated by counter clockwise rotation  Shelf Life:
As differentiated by counter clockwise rotation  Shelf Life:  N/a
As differentiated by counter clockwise rotation  Shelf Life:  N/a
As differentiated by counter clockwise rotation  Shelf Life:  N/a  Unit Of Measure:
As differentiated by counter clockwise rotation  Shelf Life:  N/a  Unit Of Measure:   Demilitarization: