

View Online at <https://aerobasegroup.com/nsn/4320-00-640-0503>

**Prime Mover Quantity:**

1

**Prime Mover Cooling Medium:**

Air

**Mounting Type:**

Any acceptable

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Threaded internal

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Threaded internal

**Current Type:**

Ac

**Media For Which Designed:**

Hydrocarbon fuels and oils

**Environmental Protection:**

Any acceptable

**Pump Quantity:**

1

**Cooling Method:**

Any acceptable

**Maximum Discharge Flow Rate:**

2.0 gallons per minute

**Discharge Pressure:**

Not rated

**Total Head:**

29.500 feet

**Suction Lift:**

Not rated

**Operating Speed At Rated Capacity:**

1750.0 revolutions per minute

**Pumping Element Operating Position:**

Vertical

**Rotary Pump Design:**

Vane

**Prime Mover Horsepower Rating:**

0.250

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Open

**Current Rating In Amps:**

Any acceptable

**Discharge Connection Thread Size And Series/type Designator:**

Any acceptable

**Intake Connection Thread Size And Series/type Designator:**

0.750-14 npt

**Voltage In Volts:**

115.0

**Phase:**

Single

**Frequency In Hertz:**

60.0

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A19400