

View Online at <https://aerobasegroup.com/nsn/4320-00-651-1313>

**Cylinder Quantity:**

7

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Threaded internal

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Threaded internal

**Drive Connection Type:**

Flexible coupled

**Media For Which Designed:**

Hydrocarbon fuels and oils

**Pumping Element Type:**

Piston

**Maximum Discharge Flow Rate:**

1.25 gallons per minute

**Discharge Pressure:**

3000.0 pounds per square inch gage

**Operating Speed At Rated Capacity:**

1800.0 revolutions per minute

**Pumping Element Operating Position:**

Horizontal

**Pump Rotation Direction:**

Clockwise and counterclockwise

**Pump Reciprocating Design:**

Single acting

**Reciprocating Stroke Type:**

Fixed

**Drive Shaft Type:**

Splined, straight external

**Drive Shaft End Diameter:**

0.499 inches

**Drive Shaft Length:**

1.075 inches

**Unpackaged Unit Length:**

7.410 inches

**Unpackaged Unit Width:**

4.780 inches

**Unpackaged Unit Height:**

4.780 inches

**Pump Basic Material:**

Steel

**Discharge Connection Thread Size And Series/type Designator:**

0.250-18 npt

**Intake Connection Thread Size And Series/type Designator:**

0.375-18 npt

**Special Features:**

Splined coupling adapter provided

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A19400