## NSN 4320-00-741-7722

Centrifugal Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-00-741-7722

Prime Mover Quantity:
1
Prime Mover Cooling Medium:
Air
Stage Quantity:
1
Intake Connection Quantity:
1
Intake Connection Type:
Threaded internal
Discharge Connection Quantity:
1
Discharge Connection Type:
Threaded internal
Current Type:
Ac
Media For Which Designed:
Water, fresh
Environmental Protection:
Dripproof
Pump Quantity:
1
Cooling Method:
Self ventilated
Maximum Discharge Flow Rate:
130.0 gallons per minute
Discharge Pressure:
125.0 pounds per square inch gage
Total Head:
30.000 feet
Operating Speed At Rated Capacity:
1750.0 revolutions per minute
Centrifugal Pump Design:
Radial flow
Centrifugal Pump Impeller Quantity:
1
Centrifugal Pump Impeller Suction Type:
Single
Prime Mover Type:
Electric motor
Inclosure Type:
Open

## NSN 4320-00-741-7722

Centrifugal Pump Unit - Page 2 of 2

**Fiig:** A19400



Discharge Connection Thread Size And Series/type Designator:
3.00-8 npt
Intake Connection Thread Size And Series/type Designator:
3.000-8 npt
Voltage In Volts:
230.0 and 460.0
Phase:
Three
Frequency In Hertz:
60.0
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No