

View Online at <https://aerobasegroup.com/nsn/4320-00-768-0470>

Thread Direction:

Right-hand and right-hand and right-hand

Torque Load Rating:

95.3 inch-pounds

Mounting Type:

Flange

Keyway Width:

0.312 inches

Mounting Hole Diameter:

0.500 inches

Mounting Hole Quantity:

9

Thread Size:

1.875-12 and 1.875-12 and 1.312-12

Shaft Diameter:

Between 1.150 inches and 1.249 inches

Operating Speed At Rated Capacity In Rpm:

1600.0

Mounting Bolt Circle Diameter:

5.625 inches

Drive Shaft Type:

Machine keyway

Housing Material:

Cast iron qq-i-652 class 40

Screw Thread Series Designator:

Un and un and un

Shaft Rotation Direction:

Clockwise and counterclockwise

Thread Location:

Internal and internal and internal

Shaft Protrusion Length:

2.062 inches

Connection Quantity:

3

Connection Type:

Inlet and outlet and drain

Maximum Working Pressure Rating At Specificationified Temperature Range:

3000 psi at minus 40 degrees f to plus 160 degrees f

Connection Design:

Threaded and threaded and threaded

Displacement Type:

Constant

Constant Displacement Per Revolution:

5.980 cubic inches

Connection Government Specification/std:

Ms 16142

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T103-f