NSN 4320-00-781-1920

Rotary Pump - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-00-781-1920

Intaka Connection Quantity:
Intake Connection Quantity:
Intake Connection Type:
Threaded internal
Discharge Connection Quantity:
1
Discharge Connection Type:
Threaded internal
Drive Connection Type:
Rigid coupled
Media For Which Designed:
Hydrocarbon fuels and oils
Maximum Discharge Flow Rate:
36.0 gallons per minute and 25.0 gallons per minute
Discharge Pressure:
150.0 pounds per square inch gage and 100.0 pounds per square inch gage
Operating Speed At Rated Capacity:
1800.0 revolutions per minute and 1200.0 revolutions per minute
Pump Rotation Direction:
Clockwise
Volume Control Type:
Rotary
Control Location:
Center
Rotary Pump Design:
Gear
Operation Method:
Powered
Drive Shaft Type:
Woodruff keyway
Drive Shaft End Diameter:
0.750 inches
Drive Shaft Length:
1.938 inches
Discharge Connection Thread Size And Series/type Designator:
1.000-11-1/2 npt
Intake Connection Thread Size And Series/type Designator:
1.000-11-1/2 npt
Shelf Life:
N/a
Unit Of Measure:

--

NSN 4320-00-781-1920

Rotary Pump - Page 2 of 2



Demilitarization:

No

Fiig:

A19400