## NSN 4320-00-790-4724

Reciprocating Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-00-790-4724

Prime Mover Quantity:
1
Mounting Type:
Base
Cylinder Quantity:
1
Intake Connection Quantity:
1
Intake Connection Type:
Threaded internal
Discharge Connection Quantity:
1
Discharge Connection Type:
Threaded internal
Current Type:
Ac
Media For Which Designed:
Hydrocarbon fuels and oils
Pump Quantity:
1
Pumping Element Type:
Piston
Maximum Discharge Flow Rate:
2.0 gallons per minute
Discharge Pressure:
1800.0 pounds per square inch gage
Operating Speed At Rated Capacity:
1500.0 revolutions per minute
Pumping Element Operating Position:
Horizontal
Pump Reciprocating Design:
Single acting
Reciprocating Stroke Type:
Fixed
Prime Mover Type:
Electric motor
Inclosure Type:
Fully enclosed
Discharge Connection Thread Size And Series/type Designator:
0.875-14 unf
Intake Connection Thread Size And Series/type Designator:
1.062-12 un

## NSN 4320-00-790-4724

Reciprocating Pump Unit - Page 2 of 2



Prime Mover Power Rating:
7.500 horsepower
Voltage In Volts:
208.0 and 416.0
Phase:
Three
Frequency In Hertz:
400.0
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A19400