

View Online at <https://aerobasegroup.com/nsn/4320-00-803-5826>

**Prime Mover Quantity:**

1

**Prime Mover Cooling Medium:**

Water, fresh

**Stage Quantity:**

1

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Threaded external

**Current Type:**

Ac

**Media For Which Designed:**

Water, fresh

**Environmental Protection:**

Submersible

**Pump Quantity:**

1

**Cooling Method:**

Water cooled

**Maximum Discharge Flow Rate:**

5.0 gallons per minute

**Suction Lift:**

1.000 feet

**Pumping Element Operating Position:**

Horizontal

**Centrifugal Pump Design:**

Mixed flow

**Centrifugal Pump Impeller Quantity:**

1

**Centrifugal Pump Impeller Suction Type:**

Single

**Operation Relationship Design:**

Simultaneous

**Unpackaged Unit Length:**

4.000 inches

**Unpackaged Unit Width:**

2.2500 inches

**Unpackaged Unit Height:**

4.875 inches

**Pump Basic Material:**

Plastic

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Current Rating In Amps:**

0.8

**Discharge Connection Thread Size And Series/type Designator:**

0.375-18 npt

**Features Provided:**

Self-priming

**Prime Mover Power Rating:**

0.025 horsepower

**Voltage In Volts:**

115.0

**Phase:**

Single

**Special Features:**

6.0 ft power cord provided

**Frequency In Hertz:**

60.0

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A19400