NSN 4320-00-809-0684

Centrifugal Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-00-809-0684

Prime Mover Quantity:
1
Prime Mover Cooling Medium:
Air
Mounting Type:
Base
Stage Quantity:
6
Intake Connection Quantity:
1
Intake Connection Type:
Round flange
Discharge Connection Quantity:
1
Discharge Connection Type:
Round flange
Current Type:
Ac
Media For Which Designed:
Water, fresh
Environmental Protection:
Dripproof
Pump Quantity:
1
Cooling Method:
Self ventilated
Maximum Discharge Flow Rate:
1000.0 gallons per minute
Discharge Pressure:
250.0 pounds per square inch gage
Total Head:
578,000 feet
Operating Speed At Rated Capacity:
3545.0 revolutions per minute
Pumping Element Operating Position:
Horizontal
Centrifugal Pump Design:
Radial flow
Centrifugal Pump Impeller Quantity:
6
Centrifugal Pump Impeller Suction Type:
Single
g

NSN 4320-00-809-0684Centrifugal Pump Unit - Page 2 of 2



Prime Mover Type:
Electric motor
Inclosure Type:
Fully enclosed
Criticality Code Justification:
Zzzy
Voltage In Volts:
440.0
Phase:
Three
Frequency In Hertz:
60.0
Reference Number Differentiating Characteristics:
Selected and tested for nuclear propulsion plant systems
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A19400