NSN 4320-00-815-2947

Hydraulic Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-00-815-2947 **Spline Minor Diameter:** 0.213 inches **Spline Major Diameter:** 0.750 inches **Mounting Type:** Flange **Spline Quantity:** 17 **Mounting Hole Quantity: Thread Size:** 0.375018 **Bolt Hole Quantity: Operating Speed At Rated Capacity In Rpm:** 9000.0 **Bolt Hole Diameter:** 0.531 inches **Drive Shaft Type:** Splined, straight external **Housing Material:** Aluminum alloy **Screw Thread Series Designator:** Npt **Shaft Rotation Direction:** Clockwise **Accessory Components And Quantity:** Needle bearing 1; bendix drive 1; pinion gear housing flange 1; pinion gear housing 1 **Thread Location:** Internal **Connection Quantity: Connection Type:** Inlet and outlet **Maximum Working Pressure Rating At Specificationified Tempurature Range:** 3000 psi **Connection Design:** Flanged **Spline Length:** Shaft extends 4.348 in. From housing

Constant

Displacement Type:

NSN 4320-00-815-2947 Hydraulic Motor - Page 2 of 2

Fiig: T103-f



Connection Government Specification/std:
Sae type no. 3
Bolt Hole Spacing:
2.480 in. By 2.480
Mounting Bolt Hole Spacing:
Mtg holes are spaced on 5.750 in. Diameter bolt circle, upper hole is 4.313 in. Above the two lower holes and they are 4.980 in. Apart
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No.