

View Online at <https://aerobasegroup.com/nsn/4320-00-829-8434>

**Prime Mover Quantity:**

1

**Prime Mover Cooling Medium:**

Air

**Mounting Type:**

Wheel

**Cylinder Quantity:**

1

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Threaded internal

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Threaded internal

**Media For Which Designed:**

Water, fresh

**Pump Quantity:**

1

**Pumping Element Type:**

Diaphragm

**Maximum Discharge Flow Rate:**

100.0 gallons per minute

**Discharge Pressure:**

10.0 pounds per square inch gage

**Total Head:**

10.000 feet

**Suction Lift:**

10.000 feet

**Operating Speed At Rated Capacity:**

60.0 strokes per minute

**Pumping Element Operating Position:**

Vertical

**Pump Reciprocating Design:**

Single acting

**Reciprocating Stroke Type:**

Fixed

**Prime Mover Type:**

Gasoline engine

**Discharge Connection Thread Size And Series/type Designator:**

4.000-8 npt

**Intake Connection Thread Size And Series/type Designator:**

4.000-8 npt

**Prime Mover Power Rating:**

3.000 horsepower

**Specification Or Standard:**

2 class

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A19400