NSN 4320-00-835-3864

Dirt And Liquid Deflector - Page 1 of 1

AeroBase Group

View Online at https://aerobasegroup.com/nsn/4320-00-835-3864

Thread Class: 2b Thread Direction: Right-hand Inside Diameter: Between 1.065 inches and 1.068 inches Step Diameter: 1.625 inches Class inches 0.406 inches 0.407 inches 1.800 inches 0.407 inches 1.800 inches 0.407 inches 1.800 inches 0.407 inches 1.800		
Thread Direction: Right-hand Inside Diameter: Between 1.065 inches and 1.068 inches Step Diameter: 1.625 inches Outside Diameter: 0.406 inches Outside Diameter: 0.406 inches Material Thickness: 0.531 inches Mounting Hole Quantity: 2 Mounting Hole Quantity: 2 Mounting Hole Quantity: 20.0 Mounting Hole Structure: 0.0 Material: Copper alloy, que-380, alloy 903 Material: Copper alloy, que-380, alloy 903 Structure: 0.260-20 unc Stord Life: Na	Thread Class:	
Right-hand Inside Diameter: Between 1.065 inches and 1.068 inches Step Diameter: 1.625 inches 0.406 inches Outside Diameter: 0.406 inches Outside Diameter: Between 1.875 inches and 1.880 inches Material Thickness: 0.406 inche 0.407 inches and 1.880 inches Mounting Hole Quantity: 0.531 inches Mounting Hole Quantity: 2 Angle Between Centerlines Of Mounting Holes In Deg: 90.0 Mounting Hole Type: Threaded Material: Copper alloy, qq-c-380, alloy 903 Material: Copper alloy, qq-c-380, alloy 903 Step Engistator: Quantity Quantity <		
Iside Diameter: Between 1.065 inches and 1.068 inches Step Diameter: 1.625 inches Stenenth: 0.406 inches Outside Diameter: Between 1.875 inches and 1.880 inches Material Thickness: 0.531 inches Mounting Hole Quantity: 2 Angle Between Centerlines Of Mounting Holes In Deg: 90.0 Bouting Hole Type: Threaded Material: Copper alloy, qq-c-390, alloy 903 Myle Designator: Round, stepped Thread Size And Series/type Designator: 0.200 unc Shelf Life: Na Distord Measure: 0.200 unc Shelf Life: Na Distord Measure: Distord Measur		
Between 1.065 inches and 1.068 inches Step Length: 1.625 inches Step Length: 0.406 inches Outoid Diameter: Between 1.875 inches and 1.880 inches Material Thickness: 0.531 inches Mounting Hole Quantity: 2 Angle Between Centerlines Of Mounting Holes In Deg: 90.0 Mounting Hole Type: Threaded Material: Copper alloy, qe-0:990, alloy 903 Material: Quanti, stepped Thread Size And Series/type Designator: 0.250 20 unc Shell Itie: Na Va Dirdo Measure: Na Thread Size And Series/type Designator: 0.250 20 unc Shell Itie: Na Unit Of Measure: Na Termed Size And Series/type Designator: Na Shell Itie: Na Thread Size And Series/type Itie: Na Shell Itie: Na Shell It		
Step Diameter:1.625 inchesStep Length:0.406 inchesOutside Diameter:Between 1.875 inches and 1.880 inchesMaterial Thickness:0.531 inchesMounting Hole Quantity:2Angle Between Centerlines Of Mounting Holes In Deg:90.0Mounting Hole Type:7ThreadedMaterial:Copper alloy, qq-c-390, alloy 903Style Designator:Round, steppedPreced Size And Series/type Designator:0.280-20 uncStyle Designator:NaNaDirect Size And Series/type Designator:NaNaDirect Size And Series/type Designator:NaNaDirect Size And Series/type Designator:NaNaNaDirect Size And Series/type Designator:NaNaFile:NaDirect Size And Series/type Designator:NaDirect Size And Series/type Designator:NaSize Size And Series/type Designator:NaDirect Size And Series/type Designator:NaNaDirect Size And Series/type Designator:NaSize Size And Series/type Designator:NaSize Size And Series/type Designator:NaSize Size And Series/type Designator:NaSize Size And Series/type Designator:Size Size Size Size Size Size Size Size		
1625 inches Step Length: 0.406 inches Outside Diameter: Between 1.875 inches and 1.880 inches Material Thickness: 0.531 inches Mouting Hole Quantity: 2 Angle Between Centerlines Of Mounting Holes In Deg: 00.0 Mounting Hole Type: Threaded Material: Copper alloy, qe-o-390, alloy 903 Material: Copper alloy, qe-o-390, alloy 903 Style Designator: Rate, stepped Thread Size And Series/type Designator: 0.200 NC Shelf Life: Na Material: Copper alloy, que-o-390, alloy 903 Between Centerlines of Mounting Hole Cance C		
Step Length: 0.406 inches Outside Diameter: Between 1.875 inches and 1.880 inches Material Thickness: 0.531 inches Mounting Hole Quantity: 2 Angle Between Centerlines Of Mounting Holes In Deg: 90.0 Mounting Hole Type: Threaded Material: Copper alloy, qe-c-390, alloy 903 Material: Copper alloy, qe-c-390, alloy 903 Style Designator: Round, stepped Thread Size And Series/type Designator: 0.20 0 unc Shef Life: Naterial: 0.20 0 unc Sheff Life: Naterial: 0.20 0 unc Sheff Life: Na Uht Of Measure: unc Thered Size And Series/type Lesignator: Na Dist Of Measure: unc Thered Size And Series/type Life: Na Sheff Life: Na Sheff Life: Na Sheff Life: <th></th> <th></th>		
0.406 inchesOutside Diameter:Between 1.875 inches and 1.880 inchesMaterial Thickness:0.531 inchesMounting Hole Quantity:2Angle Between Centerlines Of Mounting Holes In Deg:90.0Mounting Hole Type:ThreadedMaterial:Copper alloy, qq-c-390, alloy 903Material:Copper alloy, qq-c-390, alloy 903Style Designator:Round, steppedThread Size And Series/type Designator:0.250-20 uncSheff Life:NaLife:NaDid Measure:Formiliatrization:NoFig:		
Cutside Diameter:Between 1.875 inches and 1.880 inchesMaterial Thickness:0.531 inchesMounting Hole Quantity:2Angle Between Centerlines Of Mounting Holes In Deg:90.0Mounting Hole Type:ThreadedMaterial:Copper alloy, qq-c-390, alloy 903Material:Copper alloy, qq-c-390, alloy 903Style Designator:0.250-20 uncSheff Life:NaCutside Steis/type Designator:0.250-20 uncSheff Life:NaCutside Steis Material:NaFine Life:NaSheff Life:NaSheff Life:NaSteis Copper Life:NaSteis Copper Life:NaSteis Copper Life:NaSteis Copper Life:Steis Copper Life:	Step Length:	
Between 1.875 inches and 1.880 inches Material Thickness: 0.531 inches Bounting Hole Quantity: 2 Angle Between Centerlines Of Mounting Holes In Deg: 90.0 Mounting Hole Type: Threaded Material: Copper alloy, qq-c-390, alloy 903 Material: Copper alloy, qq-c-390, alloy 903 Style Designator: Round, stepped Thread Size And Series/type Designator: 0.250-20 unc Shelf Life: Na Lift Of Measure: r Pomilitarization: No Fig:	0.406 inches	
Material Thickness:0.531 inchesMounting Hole Quantity:2Angle Between Centerlines Of Mounting Holes In Deg:90.0Mounting Hole Type:ThreadedMaterial:Copper alloy, q-c-390, alloy 903Material:Copper alloy, q-c-390, alloy 903Style Designator:Round, steppedThread Size And Series/type Designator:0.250-20 uncSheff Life:NaInto f Measure:NaFindSize And Series/type Designator:NaFind:NaFind:Steff Life:NaFind:Steff Life:NaSteff Life:Steff Life:	Outside Diameter:	
0.531 inchesMounting Hole Quantity:2Angle Between Centerlines Of Mounting Holes In Deg:90.0Mounting Hole Type:ThreadedMaterial:Corper alloy, qq-c-390, alloy 903Material:Copper alloy, qq-c-390, alloy 903Style Designator:Round, steppedThread Size And Series/type Designator:0.250-20 uncSheff Life:N/aUnit Of Measure:Demiltarization:NoFig:		
Hounting Hole Quantity: 2 Angle Between Centerlines Of Mounting Holes In Deg: 90.0 Mounting Hole Type: Threaded Material: Copper alloy, qq-c-390, alloy 903 Material: Copper alloy, qq-c-390, alloy 903 Material: Copper alloy, qq-c-390, alloy 903 Batterial: Copper alloy, qq-c-390, alloy 903 Batteri	Material Thickness:	
2 Angle Between Centerlines Of Mounting Holes In Deg: 90.0 Mounting Hole Type: Threaded Material: Copper alloy, qq-c-390, alloy 903 Material: Copper alloy, qq-c-390, alloy 903 Material: Copper alloy, qq-c-390, alloy 903 Style Designator: Copper alloy, qq-c-390, alloy 903 Material: Copper alloy, qq-c-390, alloy 903 Material: Copp	0.531 inches	
Angle Between Centerlines Of Mounting Holes In Deg: 90.0 Mounting Hole Type: Threaded Material: Copper alloy, qq-c-390, alloy 903 Material: Copper alloy, qq-c-390, alloy 903 Style Designator: Round, stepped Thread Size And Series/type Designator: 0.250-20 unc Shelf Life: N/a Unit Of Measure: Penilitarization: No Fig:	Mounting Hole Quantity:	
90.0Mouning Hole Type:ThreadedThreadedMaterial:Copper alloy, qq-c-390, alloy 903Material:Copper alloy, qq-c-390, alloy 903Style Designator:Round, steppedThread Size And Series/type Designator:0.250-20 uncShelf Life:N/aInt of Measure:-Pomiltarization:NaFig:	2	
Mounting Hole Type:ThreadedMaterial:Copper alloy, qq-c-390, alloy 903Material:Copper alloy, qq-c-390, alloy 903Style Designator:Round, steppedThread Size And Series/type Designator:0.250-20 uncShelf Life:N/aUnit Of Measure:Demilitarization:NoFig:	Angle Between Centerlines Of Mounting Holes In Deg:	
ThreadedMaterial:Copper alloy, qq-c-390, alloy 903Material:Copper alloy, qq-c-390, alloy 903Style Designator:Round, steppedThread Size And Series/type Designator:0.250-20 uncShelf Life:N/aUnit Of Measure:Snellitarization:NoFig:	90.0	
Material:Copper alloy, qq-c-390, alloy 903Material:Copper alloy, qq-c-390, alloy 903Style Designator:Round, steppedThread Size And Series/type Designator:0.250-20 uncShelf Life:N/aUnit Of Measure:-Demilitarization:NoFig:	Mounting Hole Type:	
Copper alloy, qq-c-390, alloy 903Material:Copper alloy, qq-c-390, alloy 903Style Designator:Round, steppedThread Size And Series/type Designator:0.250-20 uncShelf Life:N/aUnit Of Measure:Demilitarization:NoFig:	Threaded	
Material:Copper alloy, qq-c-390, alloy 903Style Designator:Round, steppedThread Size And Series/type Designator:0.250-20 uncShelf Life:N/aUnit Of Measure:Demilitarization:NoFig:	Material:	
Copper alloy, qq-c-390, alloy 903 Style Designator: Round, stepped Thread Size And Series/type Designator: 0.250-20 unc Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Copper alloy, qq-c-390, alloy 903	
Style Designator:Round, steppedThread Size And Series/type Designator:0.250-20 uncShelf Life:N/aUnit Of Measure:Demilitarization:NoFig:	Material:	
Round, stepped Thread Size And Series/type Designator: 0.250-20 unc Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Copper alloy, qq-c-390, alloy 903	
Thread Size And Series/type Designator: 0.250-20 unc Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Style Designator:	
0.250-20 unc Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Round, stepped	
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Thread Size And Series/type Designator:	
N/a Unit Of Measure: Demilitarization: No Fiig:	0.250-20 unc	
Unit Of Measure: Demilitarization: No Fiig:	Shelf Life:	
 Demilitarization: No Fiig:	N/a	
Demilitarization: No Fiig:	Unit Of Measure:	
No Fiig:		
Fiig:	Demilitarization:	
	No	
A23700	Fiig:	
	A23700	