## NSN 4320-00-914-1120

Power Driven Hydraulic Pumping Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-00-914-1120

Maying Operating Processes
Maximum Operating Pressure:
3000.0 pounds per square inch
Mounting Type:
Wheel
Hydraulic Fluid Flow Rate:
4.0 gallons per minute
Pump Quantity:
1
Portability:
Portable
Operation Method:
Manual
Pump Type:
Axial piston
Pump Drive Type:
Gasoline engine
Hydraulic Fluid Reservoir:
Included
Reservoir Capacity:
45.0 gallons
Accumulator:
Not included
Fluid Filter:
Included
Fluid Filter Type:
Pressure
Hose Holder Type:
Reel
Manifolding Hose Set:
Included
Outlet Quantity:
9
Rolling Element Type And Quantity:
4 wheel
Pulling Device:
Drawbar
Functional Description:
This unit is a four-wheel mounted, gasoline-engine driven, hydraulic pumping unit designed to provide a source of power for driving nine
aircraft hydraulic jacks simultaneously
Quantity:
3
Reference Data And Literature:

Af to. 35aa2-3-5-11

## NSN 4320-00-914-1120

Power Driven Hydraulic Pumping Unit - Page 2 of 2



Fiig: T103-n