

View Online at <https://aerobasegroup.com/nsn/4320-00-941-0076>

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Square flange

**Discharge Connection Quantity:**

1

**Drive Connection Type:**

Gear

**Media For Which Designed:**

Hydrocarbon fuels and oils

**Maximum Discharge Flow Rate:**

40.0 gallons per minute

**Discharge Pressure:**

900.0 pounds per square inch gage

**Operating Speed At Rated Capacity:**

3600.0 revolutions per minute

**Pumping Element Operating Position:**

Horizontal

**Pump Rotation Direction:**

Counterclockwise

**Volume Control Type:**

Rotary

**Rotary Pump Design:**

Gear

**Operation Method:**

Powered

**Drive Shaft Type:**

Splined, straight external

**Drive Shaft End Diameter:**

Between 0.862 inches and 0.867 inches

**Drive Shaft Length:**

Between 1.923 inches and 2.013 inches

**Special Features:**

Discharge connection type: dual eared flange

**Reference Number Differentiating Characteristics:**

As differentiated by pratt and whitney aircraft drawing no. 530806

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A19400