

View Online at <https://aerobasegroup.com/nsn/4320-01-005-3025>

**Cylinder Quantity:**

9

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Threaded internal

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Threaded internal

**Drive Connection Type:**

Close coupled

**Media For Which Designed:**

Hydrocarbon fuels and oils

**Pumping Element Type:**

Piston

**Maximum Discharge Flow Rate:**

22.4 gallons per minute

**Discharge Pressure:**

3025.0 pounds per square inch gage

**Operating Speed At Rated Capacity:**

3200.0 revolutions per minute

**Pump Rotation Direction:**

Counterclockwise

**Pump Reciprocating Design:**

Single acting

**Reciprocating Stroke Type:**

Fixed

**Volume Control Type:**

Pressure compensation

**Control Location:**

Left side

**Drive Shaft Type:**

Splined, straight external

**Drive Shaft End Diameter:**

Between 1.262 inches and 1.267 inches

**Drive Shaft Length:**

1.000 inches

**Discharge Connection Thread Size And Series/type Designator:**

0.875&14 unf

**Intake Connection Thread Size And Series/type Designator:**

1.625&12 un

**Special Features:**

Drain female unf 0.563&18 3b fit, mounting per and 10262 type 12k

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A19400