## NSN 4320-01-013-6192

Centrifugal Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-01-013-6192

Prime Mover Quantity:
1
Prime Mover Cooling Medium:
Liquid
Mounting Type:
Frame
Stage Quantity:
1
Intake Connection Quantity:
1
Discharge Connection Quantity:
1
Current Type:
Ac
Media For Which Designed:
Liquid
Environmental Protection:
Submersible
Pump Quantity:
1
Cooling Method:
Water cooled
Maximum Discharge Flow Rate:
55.0 gallons per minute
Total Head:
22.000 feet
Operating Speed At Rated Capacity:
1725.0 revolutions per minute
Pumping Element Operating Position:
Vertical
Centrifugal Pump Design:
Axial flow
Centrifugal Pump Impeller Quantity:
1
Centrifugal Pump Impeller Suction Type:
Single
Prime Mover Type:
Electric motor
Inclosure Type:
Fully enclosed
Features Provided:
Self-priming
. •

## NSN 4320-01-013-6192

Centrifugal Pump Unit - Page 2 of 2



Prime Mover Power Rating:
0.333 horsepower
Voltage In Volts:
115.0 and 208.0 and 230.0
Phase:
Single
Frequency In Hertz:
60.0
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A19400