## NSN 4320-01-037-4882

Rotary Pump - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-01-037-4882

Manustina Tura					
Mounting Type:					
Base					
Intake Connection Quantity:					
1					
Intake Connection Type:					
Rectangular flange					
Discharge Connection Quantity:					
1					
Discharge Connection Type:					
Rectangular flange					
Drive Connection Type:					
Close coupled					
Media For Which Designed:					
Hydrocarbon fuels and oils					
Maximum Discharge Flow Rate:					
60.0 gallons per minute					
Discharge Pressure:					
2500.0 pounds per square inch gage					
Operating Speed At Rated Capacity:					
2500.0 revolutions per minute					
Pumping Element Operating Position:					
Horizontal					
Pump Rotation Direction:					
Counterclockwise					
Rotary Pump Design:					
Gear					
Operation Method:					
Powered					
Drive Shaft Type:					
Splined, involute external					
Drive Shaft Length:					
2.188 inches					
Unpackaged Unit Length:					
15.660 inches					
Unpackaged Unit Width:					
7.120 inches					
Unpackaged Unit Height:					
7.620 inches					
Special Features:					
Sline sae c 1-1/4 14 tooth					
Shelf Life:					

N/a

## NSN 4320-01-037-4882

Rotary Pump - Page 2 of 2



		• •			
ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A19400