

View Online at <https://aerobasegroup.com/nsn/4320-01-061-6535>

**Prime Mover Quantity:**

1

**Prime Mover Cooling Medium:**

Air

**Mounting Type:**

Base

**Stage Quantity:**

1

**Intake Connection Quantity:**

2

**Intake Connection Type:**

Unthreaded external

**Discharge Connection Quantity:**

2

**Discharge Connection Type:**

Unthreaded external

**Current Type:**

Ac

**Media For Which Designed:**

Liquid

**Pump Quantity:**

2

**Cooling Method:**

Air to air cooled

**Maximum Discharge Flow Rate:**

6.7 gallons per minute and 6.7 gallons per minute

**Total Head:**

16.100 feet

**Operating Speed At Rated Capacity:**

3450.0 revolutions per minute

**Pumping Element Operating Position:**

Horizontal

**Centrifugal Pump Design:**

Axial flow

**Centrifugal Pump Impeller Quantity:**

2

**Centrifugal Pump Impeller Suction Type:**

Single

**Volume Control Type:**

Rotary

**Control Location:**

Center

**Operation Relationship Design:**

Simultaneous

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Open

**Current Rating In Amps:**

0.8

**Prime Mover Power Rating:**

0.125 horsepower

**Voltage In Volts:**

230.0

**Phase:**

Single

**Frequency In Hertz:**

50.0 and 60.0

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A19400