

View Online at <https://aerobasegroup.com/nsn/4320-01-062-3493>

Mounting Type:

Flange

Intake Connection Quantity:

1

Intake Connection Type:

Rectangular flange

Discharge Connection Quantity:

2

Discharge Connection Type:

Threaded internal

Drive Connection Type:

Close coupled

Media For Which Designed:

Hydrocarbon fuels and oils

Maximum Discharge Flow Rate:

13.5 gallons per minute and 6.0 gallons per minute

Discharge Pressure:

100.0 pounds per square inch gage

Operating Speed At Rated Capacity:

1200.0 revolutions per minute

Pumping Element Operating Position:

Horizontal

Pump Rotation Direction:

Clockwise

Rotary Pump Design:

Vane

Operation Method:

Powered

Drive Shaft Type:

Splined, involute external

Drive Shaft Length:

1.312 inches

Unpackaged Unit Length:

10.660 inches

Unpackaged Unit Width:

6.900 inches

Discharge Connection Thread Size And Series/type Designator:

1.062-12 un and 0.750-16 un

Special Features:

No. 1 outlet port inline w/ inlet, no. 2 outlet port 135 degrees ccw from inlet port; double pump design

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A19400