

View Online at <https://aerobasegroup.com/nsn/4320-01-063-5935>

Prime Mover Quantity:

1

Prime Mover Cooling Medium:

Air

Mounting Type:

Frame

Intake Connection Quantity:

1

Intake Connection Type:

Threaded external

Discharge Connection Quantity:

1

Discharge Connection Type:

Threaded external

Current Type:

Ac

Media For Which Designed:

Water, fresh

Pump Quantity:

1

Cooling Method:

Air to air cooled

Maximum Discharge Flow Rate:

8.3 gallons per minute

Discharge Pressure:

0.5 pounds per square inch gage

Operating Speed At Rated Capacity:

3000.0 revolutions per minute

Pumping Element Operating Position:

Vertical

Rotary Pump Design:

Gear

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Discharge Connection Thread Size And Series/type Designator:

0.125-27 npt

Intake Connection Thread Size And Series/type Designator:

0.125-27 npt

Prime Mover Power Rating:

0.100 horsepower

Voltage In Volts:

115.0

Phase:

Single

Frequency In Hertz:

60.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A19400