

View Online at <https://aerobasegroup.com/nsn/4320-01-091-4686>

Intake Connection Quantity:

2

Intake Connection Type:

Threaded internal and threaded internal

Discharge Connection Quantity:

2

Discharge Connection Type:

Threaded internal and threaded internal

Drive Connection Type:

Gear

Media For Which Designed:

Hydrocarbon fuels and oils

End Application:

Loader; j i case, model w14

Maximum Discharge Flow Rate:

39.0 gallons per minute and 24.0 gallons per minute

Discharge Pressure:

2000.0 pounds per square inch gage and 2000.0 pounds per square inch gage

Operating Speed At Rated Capacity:

2400.0 revolutions per minute and 2400.0 revolutions per minute

Pumping Element Operating Position:

Horizontal

Pump Rotation Direction:

Counterclockwise

Rotary Pump Design:

Gear

Operation Method:

Powered

Drive Shaft Type:

Splined, involute external

Drive Shaft Length:

1.620 inches

Discharge Connection Thread Size And Series/type Designator:

1.000-12 unf and 0.750-16 unf

Intake Connection Thread Size And Series/type Designator:

1.250-12 unf and 0.750-16 unf

Special Features:

W/weep hole

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A19400