NSN 4320-01-100-0752

Rotary Pump - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-01-100-0752

Intake Connection Quantity:
1
Intake Connection Type:
Threaded internal
Discharge Connection Quantity:
1
Discharge Connection Type:
Threaded internal
Drive Connection Type:
Close coupled
Maximum Discharge Flow Rate:
5.4 gallons per minute and 4.3 gallons per minute
Discharge Pressure:
100.0 pounds per square inch gage and 2000.0 pounds per square inch gage
Operating Speed At Rated Capacity:
1200.0 revolutions per minute
Pumping Element Operating Position:
Horizontal
Pump Rotation Direction:
Counterclockwise
Rotary Pump Design:
Vane
Vane
Vane Operation Method:
Vane Operation Method: Powered
Vane Operation Method: Powered Drive Shaft Type:
Vane Operation Method: Powered Drive Shaft Type: Key type, external
Vane Operation Method: Powered Drive Shaft Type: Key type, external Drive Shaft End Diameter:
Vane Operation Method: Powered Drive Shaft Type: Key type, external Drive Shaft End Diameter: 0.750 inches
Vane Operation Method: Powered Drive Shaft Type: Key type, external Drive Shaft End Diameter: 0.750 inches Drive Shaft Length:
Vane Operation Method: Powered Drive Shaft Type: Key type, external Drive Shaft End Diameter: 0.750 inches Drive Shaft Length: 2.500 inches
Vane Operation Method: Powered Drive Shaft Type: Key type, external Drive Shaft End Diameter: 0.750 inches Drive Shaft Length: 2.500 inches Unpackaged Unit Length:
Vane Operation Method: Powered Drive Shaft Type: Key type, external Drive Shaft End Diameter: 0.750 inches Drive Shaft Length: 2.500 inches Unpackaged Unit Length: 7.600 inches
Vane Operation Method: Powered Drive Shaft Type: Key type, external Drive Shaft End Diameter: 0.750 inches Drive Shaft Length: 2.500 inches Unpackaged Unit Length: 7.600 inches Unpackaged Unit Width:
Vane Operation Method: Powered Drive Shaft Type: Key type, external Drive Shaft End Diameter: 0.750 inches Drive Shaft Length: 2.500 inches Unpackaged Unit Length: 7.600 inches Unpackaged Unit Width: 4.600 inches
Vane Operation Method: Powered Drive Shaft Type: Key type, external Drive Shaft End Diameter: 0.750 inches Drive Shaft Length: 2.500 inches Unpackaged Unit Length: 7.600 inches Unpackaged Unit Width: 4.600 inches Unpackaged Unit Height:
Vane Operation Method: Powered Drive Shaft Type: Key type, external Drive Shaft End Diameter: 0.750 inches Drive Shaft Length: 2.500 inches Unpackaged Unit Length: 7.600 inches Unpackaged Unit Width: 4.600 inches Unpackaged Unit Height: 5.100 inches
Operation Method: Powered Drive Shaft Type: Key type, external Drive Shaft End Diameter: 0.750 inches Drive Shaft Length: 2.500 inches Unpackaged Unit Length: 7.600 inches Unpackaged Unit Width: 4.600 inches Unpackaged Unit Height: 5.100 inches Pump Basic Material:
Vane Operation Method: Powered Drive Shaft Type: Key type, external Drive Shaft End Diameter: 0.750 inches Drive Shaft Length: 2.500 inches Unpackaged Unit Length: 7.600 inches Unpackaged Unit Width: 4.600 inches Unpackaged Unit Height: 5.100 inches Pump Basic Material: Steel

1.000-11-1/2 npt

NSN 4320-01-100-0752

Rotary Pump - Page 2 of 2



Face mtg; outlet port opposite side from inlet

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A19400