

View Online at <https://aerobasegroup.com/nsn/4320-01-131-3693>

**Prime Mover Quantity:**

1

**Prime Mover Cooling Medium:**

Air

**Mounting Type:**

Frame

**Stage Quantity:**

1

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Round flange

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Round flange

**Current Type:**

Ac

**Media For Which Designed:**

Water, salt

**Environmental Protection:**

Dripproof

**Pump Quantity:**

1

**Cooling Method:**

Air to air cooled

**Maximum Discharge Flow Rate:**

170.0 gallons per minute

**Discharge Pressure:**

45.0 pounds per square inch gage

**Total Head:**

127.000 feet

**Operating Speed At Rated Capacity:**

3600.0 revolutions per minute

**Pumping Element Operating Position:**

Horizontal

**Centrifugal Pump Design:**

Mixed flow

**Centrifugal Pump Impeller Quantity:**

1

**Centrifugal Pump Impeller Suction Type:**

Single

**Unpackaged Unit Length:**

38.062 inches

**Unpackaged Unit Width:**

14.7500 inches

**Unpackaged Unit Height:**

16.690 inches

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Current Rating In Amps:**

16.9

**Prime Mover Power Rating:**

10.0 horsepower

**Voltage In Volts:**

440.0

**Phase:**

Three

**Special Features:**

Close coupled

**Frequency In Hertz:**

60.0

**Supplementary Features:**

Feed pump

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A19400