NSN 4320-01-161-5178

Hydraulic Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-01-161-5178 **Thread Direction:** Right-hand **Torque Load Rating:** 1324.0 inch-pounds **Spline Minor Diameter:** Between 0.835 inches and 0.848 inches **Spline Major Diameter:** Between 0.996 inches and 0.998 inches **Mounting Type:** Flange **Spline Quantity: Mounting Hole Diameter:** 0.530 inches **Mounting Hole Quantity: Thread Size:** 0.500-14 **Operating Speed At Rated Capacity In Rpm: Mounting Bolt Circle Diameter: 4.190 inches Drive Shaft Type:** Splined, involute external **Housing Material:** Steel **Screw Thread Series Designator: Shaft Rotation Direction:** Counterclockwise **Thread Location:** Internal **Shaft Protrusion Length:** 1.500 inches **Connection Quantity:** 1 and 1

Connection Type: Inlet and outlet **Connection Design:** Threaded Spline Length: 1.000 inches

NSN 4320-01-161-5178 Hydraulic Motor - Page 2 of 2



Drive Shaft Government Standard:
Sae 6b
Displacement Type:
Constant
Constant Displacement Per Revolution:
14.900 cubic inches
Mounting Bolt Hole Spacing:
180.0 degrees apart
Housing Surface Treatment:
Painted
Fsc Application Data:
Crane
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
Г103-f