## NSN 4320-01-168-8545

Centrifugal Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-01-168-8545

Prime Mover Quantity:
1
Prime Mover Cooling Medium:
Air
Mounting Type:
Base
Stage Quantity:
1
Current Type:
Ac
Media For Which Designed:
Water, fresh
Pump Quantity:
1
Cooling Method:
Self ventilated
Maximum Discharge Flow Rate:
100.0 gallons per minute
Discharge Pressure:
70.0 pounds per square inch gage
Total Head:
177.000 feet
Suction Lift:
15.000 feet
Operating Speed At Rated Capacity:
3490.0 revolutions per minute
Pumping Element Operating Position:
Horizontal
Centrifugal Pump Design:
Radial flow
Centrifugal Pump Impeller Quantity:
1
Operation Relationship Design:
Simultaneous
Prime Mover Type:
Electric motor
Inclosure Type:
Fully enclosed
Voltage In Volts:
440.0
Phase:
Three

## NSN 4320-01-168-8545

Centrifugal Pump Unit - Page 2 of 2



Frequency l	In F	lertz:
-------------	------	--------

60.0

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A19400