

View Online at <https://aerobasegroup.com/nsn/4320-01-170-0909>

Prime Mover Quantity:

1

Prime Mover Cooling Medium:

Air

Mounting Type:

Base

Stage Quantity:

1

Intake Connection Quantity:

1

Intake Connection Type:

Round flange

Discharge Connection Quantity:

1

Discharge Connection Type:

Round flange

Current Type:

Ac

Pump Quantity:

1

Cooling Method:

Blower cooled

End Application:

Navy weapons code jp, supply class aoe

Maximum Discharge Flow Rate:

65.0 gallons per minute

Discharge Pressure:

70.0 pounds per square inch gage

Total Head:

157.000 feet

Operating Speed At Rated Capacity:

3575.0 revolutions per minute

Pumping Element Operating Position:

Horizontal

Centrifugal Pump Design:

Mixed flow

Centrifugal Pump Impeller Quantity:

1

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Current Rating In Amps:

7.34

Prime Mover Power Rating:

7.5 horsepower

Voltage In Volts:

440.0

Phase:

Three

Special Features:

Navy standard close-coupled horizontal pump spcc i.D. 14n-3500-7.5a4 per mil-p-17840b

Frequency In Hertz:

60.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A19400