NSN 4320-01-176-2094

Rotary Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-01-176-2094

Prime Mover Quantity:
1
Prime Mover Cooling Medium:
Air
Intake Connection Quantity:
1
Intake Connection Type:
Unthreaded internal
Discharge Connection Quantity:
1
Discharge Connection Type:
Unthreaded internal
Current Type:
Ac
Media For Which Designed:
Hydrocarbon fuels and oils
Pump Quantity:
1
Cooling Method:
Air to air cooled
Maximum Discharge Flow Rate:
3.3 gallons per minute
Discharge Pressure:
20.0 pounds per square inch gage
Total Head:
46.000 feet
Operating Speed At Rated Capacity:
430.0 revolutions per minute
Pumping Element Operating Position:
Horizontal
Prime Mover Type:
Electric motor
Inclosure Type:
Open
Current Rating In Amps:
3.0
Prime Mover Power Rating:
0.250 horsepower
Voltage In Volts:
115.0
Phase:
Single

NSN 4320-01-176-2094

Rotary Pump Unit - Page 2 of 2



 Freque	ency l	ln H	lertz:
Freque	ency l	ln H	lertz:

60.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A19400