NSN 4320-01-176-9606

Hydraulic Motor - Page 1 of 2

10.300 cubic inches



View Online at https://aerobasegroup.com/nsn/4320-01-176-9606

Three d Dissettings
Thread Direction:
Right-hand and right-hand
Mounting Type:
Flange
Mounting Hole Diameter:
0.530 inches
Mounting Hole Quantity:
2
Thread Size:
0.500-14 and 0.500-14
Shaft Diameter:
1.000 inches
Operating Speed At Rated Capacity In Rpm:
537.0
Mounting Bolt Circle Diameter:
4.190 inches
Drive Shaft Type:
Woodruff keyway
Screw Thread Series Designator:
Nptf and nptf
Shaft Rotation Direction:
Clockwise and counterclockwise
Distance From End To Keyway Center:
0.730 inches
Thread Location:
Internal and internal
Shaft Protrusion Length:
1.780 inches
Connection Quantity:
1 and 1
Connection Type:
Inlet and outlet
Maximum Working Pressure Rating At Specificationified Tempurature Range:
1200psi at 180 degrees f
Connection Design:
Threaded and threaded
Sae Key Size Accommodated:
15
Displacement Type:
Variable
Constant Displacement Per Revolution:

NSN 4320-01-176-9606

Hydraulic Motor - Page 2 of 2



Mounting	Bolt	Hole	Spa	cing
----------	------	------	-----	------

180.0 degrees apart

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T103-f