

View Online at <https://aerobasegroup.com/nsn/4320-01-184-4280>

**Prime Mover Quantity:**

1

**Stage Quantity:**

3

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Round flange

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Round flange

**Current Type:**

Ac

**Media For Which Designed:**

Water, fresh

**Environmental Protection:**

Submersible

**Pump Quantity:**

1

**Maximum Discharge Flow Rate:**

350.0 gallons per minute

**Discharge Pressure:**

150.0 pounds per square inch gage

**Total Head:**

162.000 feet

**Operating Speed At Rated Capacity:**

3600.0 revolutions per minute

**Pumping Element Operating Position:**

Horizontal

**Centrifugal Pump Design:**

Radial flow

**Centrifugal Pump Impeller Quantity:**

1

**Centrifugal Pump Impeller Suction Type:**

Single

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Prime Mover Power Rating:**

25.000 horsepower

**Voltage In Volts:**

440.0

**Phase:**

Three

**Special Features:**

4.000 in. Suction w/eight 9/16 in. Holes equally spaced on 6-9/16 in. Blt cir dia; 3.000 in. Discharge w/eight 9/16 in. Holes equally spaced on 5-1/2 in. Blt cir dia

**Frequency In Hertz:**

60.0

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A19400