

View Online at <https://aerobasegroup.com/nsn/4320-01-197-7376>

**Cylinder Quantity:**

5

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Rectangular flange

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Threaded internal

**Drive Connection Type:**

Close coupled

**Media For Which Designed:**

Hydrocarbon fuels and oils

**Pumping Element Type:**

Piston

**Maximum Discharge Flow Rate:**

25.8 gallons per minute

**Discharge Pressure:**

3000.0 pounds per square inch gage

**Operating Speed At Rated Capacity:**

3000.0 revolutions per minute

**Pumping Element Operating Position:**

Horizontal

**Pump Rotation Direction:**

Clockwise

**Pump Reciprocating Design:**

Single acting

**Reciprocating Stroke Type:**

Variable

**Volume Control Type:**

Pressure compensation

**Control Location:**

Right side

**Drive Shaft Type:**

Splined, straight internal

**Drive Shaft End Diameter:**

0.875 inches

**Discharge Connection Thread Size And Series/type Designator:**

0.438-20 ptf-sae short

**Criticality Code Justification:**

Supp

**Supplementary Features:**

Low viscosity oil

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A19400