

View Online at <https://aerobasegroup.com/nsn/4320-01-198-0822>

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Square flange

**Discharge Connection Quantity:**

2

**Discharge Connection Type:**

Rectangular flange

**Drive Connection Type:**

Gear

**Media For Which Designed:**

Oil and water, fresh

**End Application:**

Harnischfeger truck-crane, omega 30 series

**Maximum Discharge Flow Rate:**

30.0 gallons per minute

**Discharge Pressure:**

100.0 pounds per square inch gage

**Operating Speed At Rated Capacity:**

1200.0 revolutions per minute

**Pumping Element Operating Position:**

Horizontal

**Pump Rotation Direction:**

Clockwise

**Volume Control Type:**

Rotary

**Rotary Pump Design:**

Gear

**Operation Method:**

Powered

**Drive Shaft Type:**

Splined, involute external

**Drive Shaft Length:**

1.248 inches

**Special Features:**

Four bolt flange, 3.000 in. Diameter inlet; outlets are four bolt flange, 1.250 in. And 1.000 in. Dia; double gear pump

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A19400