## NSN 4320-01-206-4442

Rotary Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-01-206-4442

Prime Mover Quantity:
1
Prime Mover Cooling Medium:
Air
Intake Connection Quantity:
1
Intake Connection Type:
Threaded internal
Discharge Connection Quantity:
1
Discharge Connection Type:
Threaded internal
Current Type:
Ac
Pump Quantity:
1
Cooling Method:
Air to air cooled
Maximum Discharge Flow Rate:
9.4 gallons per minute
Discharge Pressure:
4.3 pounds per square inch gage
Total Head:
25.000 feet
Operating Speed At Rated Capacity:
1725.0 revolutions per minute
Pumping Element Operating Position:
Horizontal
Rotary Pump Design:
Vane
Prime Mover Type:
Electric motor
Inclosure Type:
Fully enclosed
Discharge Connection Thread Size And Series/type Designator:
0.750-14 npt
Intake Connection Thread Size And Series/type Designator:
0.750-14 npt
Prime Mover Power Rating:
0.333 horsepower
Voltage In Volts:
115.0

## NSN 4320-01-206-4442

Rotary Pump Unit - Page 2 of 2



Phase:
Single
Special Features:
W/lip type seal
Frequency In Hertz:
60.0
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A19400