NSN 4320-01-212-7585

Centrifugal Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-01-212-7585

Prime Mover Quantity:
1
Mounting Type:
Base
Intake Connection Quantity:
1
Intake Connection Type:
Round flange
Discharge Connection Quantity:
1
Discharge Connection Type:
Round flange
Current Type:
Ac
Media For Which Designed:
Water, fresh
Pump Quantity:
1
Maximum Discharge Flow Rate:
65.0 gallons per minute
Discharge Pressure:
75.0 pounds per square inch gage
Total Head:
173.000 feet
Operating Speed At Rated Capacity:
3565.0 revolutions per minute
Pumping Element Operating Position:
Horizontal
Centrifugal Pump Impeller Quantity:
1
Prime Mover Type:
Electric motor
Inclosure Type:
Fully enclosed
Prime Mover Power Rating:
7.500 horsepower
Voltage In Volts:
440.0
Special Features:
1.250 in. Suction end, 1.000 in. Discharge end
Frequency In Hertz:

60.0

NSN 4320-01-212-7585

Centrifugal Pump Unit - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A19400