

View Online at <https://aerobasegroup.com/nsn/4320-01-217-0025>

**Prime Mover Quantity:**

1

**Prime Mover Cooling Medium:**

Air

**Stage Quantity:**

1

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Oval flange

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Oval flange

**Current Type:**

Ac

**Media For Which Designed:**

Water, fresh

**Pump Quantity:**

1

**Cooling Method:**

Air to air cooled

**Maximum Discharge Flow Rate:**

21.7 gallons per minute and 4.8 gallons per minute

**Total Head:**

1.000 feet and 7.000 feet

**Operating Speed At Rated Capacity:**

1500.0 revolutions per minute

**Centrifugal Pump Design:**

Axial flow

**Centrifugal Pump Impeller Quantity:**

1

**Centrifugal Pump Impeller Suction Type:**

Single

**Unpackaged Unit Length:**

9.688 inches

**Unpackaged Unit Width:**

4.8120 inches

**Unpackaged Unit Height:**

6.312 inches

**Pump Basic Material:**

Iron

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Partially enclosed

**Current Rating In Amps:**

0.3

**Prime Mover Power Rating:**

0.05 horsepower

**Voltage In Volts:**

115.0

**Phase:**

Single

**Special Features:**

Line mtd; flanges must be ordered separately

**Frequency In Hertz:**

60.0

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A19400