NSN 4320-01-223-0563

Rotary Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-01-223-0563

Prime Mover Quantity:
1
Prime Mover Cooling Medium:
Air
Mounting Type:
Base
Intake Connection Quantity:
1
Intake Connection Type:
Threaded internal
Discharge Connection Quantity:
1
Discharge Connection Type:
Threaded internal
Current Type:
Ac
Pump Quantity:
1
Cooling Method:
Blower cooled
Maximum Discharge Flow Rate:
5.5 gallons per minute
Discharge Pressure:
70.0 pounds per square inch gage
Operating Speed At Rated Capacity:
1725.0 revolutions per minute
Pumping Element Operating Position:
Horizontal
Rotary Pump Design:
Gear
Prime Mover Type:
Electric motor
Inclosure Type:
Fully enclosed
Discharge Connection Thread Size And Series/type Designator:
0.500-14 unf
Intake Connection Thread Size And Series/type Designator:
0.500-14 unf
Prime Mover Power Rating:
0.750 horsepower
Voltage In Volts:
220.0 and 440.0

NSN 4320-01-223-0563

Rotary Pump Unit - Page 2 of 2



Three

Frequency In Hertz:

50.0 and 60.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A19400