

View Online at <https://aerobasegroup.com/nsn/4320-01-224-4715>

**Prime Mover Quantity:**

1

**Prime Mover Cooling Medium:**

Air

**Stage Quantity:**

6

**Intake Connection Quantity:**

1

**Intake Connection Type:**

Round flange

**Discharge Connection Quantity:**

1

**Discharge Connection Type:**

Round flange

**Current Type:**

Dc

**Media For Which Designed:**

Water, salt

**Pump Quantity:**

1

**Cooling Method:**

Self ventilated

**Maximum Discharge Flow Rate:**

230.0 gallons per minute

**Suction Lift:**

25.000 feet

**Pumping Element Operating Position:**

Vertical

**Centrifugal Pump Design:**

Radial flow

**Centrifugal Pump Impeller Quantity:**

6

**Centrifugal Pump Impeller Suction Type:**

Single

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Current Rating In Amps:**

497.0

**Features Provided:**

Self-priming

**Criticality Code Justification:**

Zzzy

**Voltage In Volts:**

250.0

**Reference Number Differentiating Characteristics:**

Items that support a level i or subsafe critical system/component that has undergone quality assurance during the acquisition process and requires objective quality evidence (oqe) traceable to permanent marking on the material

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A19400