

View Online at <https://aerobasegroup.com/nsn/4320-01-226-0209>

Prime Mover Quantity:

1

Prime Mover Cooling Medium:

Air

Mounting Type:

Base

Intake Connection Quantity:

1

Intake Connection Type:

Round flange

Discharge Connection Quantity:

1

Discharge Connection Type:

Round flange

Current Type:

Ac

Media For Which Designed:

Water, fresh

Pump Quantity:

1

Cooling Method:

Air to air cooled

Maximum Discharge Flow Rate:

30.0 gallons per minute

Total Head:

208.000 feet

Suction Lift:

10.000 feet

Operating Speed At Rated Capacity:

3500.0 revolutions per minute

Pumping Element Operating Position:

Horizontal

Centrifugal Pump Design:

Mixed flow

Centrifugal Pump Impeller Quantity:

1

Unpackaged Unit Length:

27.188 inches

Unpackaged Unit Width:

9.6250 inches

Unpackaged Unit Height:

12.500 inches

Prime Mover Type:

Electric motor

Inclosure Type:

Partially enclosed

Prime Mover Power Rating:

7.50 horsepower

Voltage In Volts:

440.0

Phase:

Three

Special Features:

14.250in.O/a w; for potable water

Frequency In Hertz:

60.0

Reference Number Differentiating Characteristics:

Non magnetic permeability of 2.0 pct or less

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A19400