NSN 4320-01-229-7712

Rotary Pump - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-01-229-7712

Intella Compostion Oversity		
Intake Connection Quantity:		
1		
Intake Connection Type:		
Threaded internal		
Discharge Connection Quantity:		
1		
Discharge Connection Type:		
Threaded internal		
Drive Connection Type:		
Flexible coupled		
Media For Which Designed:		
Hydrocarbon fuels and oils		
Cubic Measure:		
0.0200 cubic feet		
End Application:		
F. O. Purifier system, mapx-204-tgt-24-60		
Maximum Discharge Flow Rate:		
8.3 gallons per minute		
Discharge Pressure:		
50.0 pounds per square inch gage		
Operating Speed At Rated Capacity:		
1800.0 revolutions per minute		
Pumping Element Operating Position:		
Horizontal		
Pump Rotation Direction:		
Clockwise		
Rotary Pump Design:		
Gear		
Operation Method:		
Powered		
Drive Shaft Type:		
Woodruff keyway		
Drive Shaft End Diameter:		
0.500 inches		
Drive Shaft Length:		
1.000 inches		
Discharge Connection Thread Size And Series/type Designator:		
0.750-14 npt		
Intake Connection Thread Size And Series/type Designator:		
0.750-14 npt		
Special Features:		
Vessel appl 210 ft a/b class		

NSN 4320-01-229-7712

Rotary Pump - Page 2 of 2



	Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A19400