NSN 4320-01-244-2488

Rotary Pump - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4320-01-244-2488

Intake Connection Quantity:
1
Intake Connection Type:
Threaded internal
Discharge Connection Quantity:
1
Discharge Connection Type:
Threaded internal
Media For Which Designed:
Hydrocarbon fuels and oils
Maximum Discharge Flow Rate:
38.6 gallons per minute
Discharge Pressure:
2000.0 pounds per square inch gage
Operating Speed At Rated Capacity:
3000.0 revolutions per minute
Pumping Element Operating Position:
Horizontal
Pump Rotation Direction:
Counterclockwise
Rotary Pump Design:
Rotary Pump Design: Gear
Gear
Gear Operation Method:
Gear Operation Method: Powered
Gear Operation Method: Powered Drive Shaft Type:
Gear Operation Method: Powered Drive Shaft Type: Key type, external
Gear Operation Method: Powered Drive Shaft Type: Key type, external Drive Shaft End Diameter:
Gear Operation Method: Powered Drive Shaft Type: Key type, external Drive Shaft End Diameter: 0.875 inches
Operation Method: Powered Drive Shaft Type: Key type, external Drive Shaft End Diameter: 0.875 inches Discharge Connection Thread Size And Series/type Designator:
Operation Method: Powered Drive Shaft Type: Key type, external Drive Shaft End Diameter: 0.875 inches Discharge Connection Thread Size And Series/type Designator: 1.312-28 un
Operation Method: Powered Drive Shaft Type: Key type, external Drive Shaft End Diameter: 0.875 inches Discharge Connection Thread Size And Series/type Designator: 1.312-28 un Intake Connection Thread Size And Series/type Designator:
Operation Method: Powered Drive Shaft Type: Key type, external Drive Shaft End Diameter: 0.875 inches Discharge Connection Thread Size And Series/type Designator: 1.312-28 un Intake Connection Thread Size And Series/type Designator: 1.312-28 un
Operation Method: Powered Drive Shaft Type: Key type, external Drive Shaft End Diameter: 0.875 inches Discharge Connection Thread Size And Series/type Designator: 1.312-28 un Intake Connection Thread Size And Series/type Designator: 1.312-28 un Shelf Life:
Operation Method: Powered Drive Shaft Type: Key type, external Drive Shaft End Diameter: 0.875 inches Discharge Connection Thread Size And Series/type Designator: 1.312-28 un Intake Connection Thread Size And Series/type Designator: 1.312-28 un Shelf Life: N/a Unit Of Measure:
Operation Method: Powered Drive Shaft Type: Key type, external Drive Shaft End Diameter: 0.875 inches Discharge Connection Thread Size And Series/type Designator: 1.312-28 un Intake Connection Thread Size And Series/type Designator: 1.312-28 un Shelf Life: N/a Unit Of Measure:
Operation Method: Powered Drive Shaft Type: Key type, external Drive Shaft End Diameter: 0.875 inches Discharge Connection Thread Size And Series/type Designator: 1.312-28 un Intake Connection Thread Size And Series/type Designator: 1.312-28 un Shelf Life: N/a Unit Of Measure:
Operation Method: Powered Drive Shaft Type: Key type, external Drive Shaft End Diameter: 0.875 inches Discharge Connection Thread Size And Series/type Designator: 1.312-28 un Intake Connection Thread Size And Series/type Designator: 1.312-28 un Shelf Life: N/a Unit Of Measure: Demilitarization: