

View Online at <https://aerobasegroup.com/nsn/4320-01-257-0819>

**Prime Mover Quantity:**

1

**Prime Mover Cooling Medium:**

Water, salt

**Mounting Type:**

Frame

**Stage Quantity:**

1

**Intake Connection Quantity:**

1

**Discharge Connection Quantity:**

1

**Current Type:**

Ac

**Media For Which Designed:**

Water, salt

**Environmental Protection:**

Dripproof

**Pump Quantity:**

1

**Cooling Method:**

Water cooled

**End Application:**

Buffalo pump co. 6x8 sl pump

**Discharge Pressure:**

150.0 pounds per square inch gage

**Operating Speed At Rated Capacity:**

1750.0 revolutions per minute

**Pumping Element Operating Position:**

Horizontal

**Centrifugal Pump Design:**

Mixed flow

**Centrifugal Pump Impeller Quantity:**

1

**Centrifugal Pump Impeller Suction Type:**

Single

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Prime Mover Power Rating:**

40.0 horsepower

**Voltage In Volts:**

444.0

**Phase:**

Three

**Special Features:**

Impeller 11.125 in.Dia; 1575.0 gal/min; 160.0 ft total head

**Frequency In Hertz:**

60.0

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A19400