NSN 4320-01-266-1365

Rotary Pump - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-01-266-1365

| Intoka Connection Quantity | | |
|------------------------------------|--|--|
| Intake Connection Quantity: | | |
| 2 Intoka Connection Type: | | |
| Intake Connection Type: | | |
| Rectangular flange | | |
| Discharge Connection Quantity: | | |
| 2 Disabase Consession Toron | | |
| Discharge Connection Type: | | |
| Rectangular flange | | |
| Drive Connection Type: | | |
| Flexible coupled | | |
| Media For Which Designed: | | |
| Hydrocarbon fuels and oils | | |
| Maximum Discharge Flow Rate: | | |
| 7.5 gallons per minute | | |
| Discharge Pressure: | | |
| 1000.0 pounds per square inch gage | | |
| Operating Speed At Rated Capacity: | | |
| 1800.0 revolutions per minute | | |
| Pump Rotation Direction: | | |
| Clockwise | | |
| Volume Control Type: | | |
| Pressure compensation | | |
| Control Location: | | |
| Center | | |
| Rotary Pump Design: | | |
| Vane | | |
| Operation Method: | | |
| Powered | | |
| Drive Shaft Type: | | |
| Machine keyway | | |
| Drive Shaft End Diameter: | | |
| 0.750 inches | | |
| Drive Shaft Length: | | |
| 1.250 inches | | |
| Unpackaged Unit Length: | | |
| 8.990 inches | | |
| Unpackaged Unit Width: | | |
| 10.940 inches | | |
| Unpackaged Unit Height: | | |
| 4.880 inches | | |
| Pump Basic Material: | | |

Steel

NSN 4320-01-266-1365

Rotary Pump - Page 2 of 2



| | Specia | I Features |
|--|--------|------------|
|--|--------|------------|

2 pumps, close coupled with a single drive shaft

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A19400