NSN 4320-01-279-0233

Rotary Pump - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4320-01-279-0233

Mounting Type:
Flange
Intake Connection Quantity:
2
Intake Connection Type:
Rectangular flange
Discharge Connection Quantity:
2
Discharge Connection Type:
Rectangular flange
Drive Connection Type:
Gear
Media For Which Designed:
Hydrocarbon fuels and oils
Maximum Discharge Flow Rate:
24.0 gallons per minute
Discharge Pressure:
2000.0 pounds per square inch gage
Operating Speed At Rated Capacity:
2400.0 revolutions per minute
Pumping Element Operating Position:
Horizontal
Horizontal Pump Rotation Direction:
Pump Rotation Direction:
Pump Rotation Direction: Clockwise
Pump Rotation Direction: Clockwise Rotary Pump Design:
Pump Rotation Direction: Clockwise Rotary Pump Design: Gear
Pump Rotation Direction: Clockwise Rotary Pump Design: Gear Operation Method:
Pump Rotation Direction: Clockwise Rotary Pump Design: Gear Operation Method: Powered
Pump Rotation Direction: Clockwise Rotary Pump Design: Gear Operation Method: Powered Drive Shaft Type:
Pump Rotation Direction: Clockwise Rotary Pump Design: Gear Operation Method: Powered Drive Shaft Type: Splined, involute external
Pump Rotation Direction: Clockwise Rotary Pump Design: Gear Operation Method: Powered Drive Shaft Type: Splined, involute external Drive Shaft Length:
Pump Rotation Direction: Clockwise Rotary Pump Design: Gear Operation Method: Powered Drive Shaft Type: Splined, involute external Drive Shaft Length: 1.620 inches
Pump Rotation Direction: Clockwise Rotary Pump Design: Gear Operation Method: Powered Drive Shaft Type: Splined, involute external Drive Shaft Length: 1.620 inches Special Features:
Pump Rotation Direction: Clockwise Rotary Pump Design: Gear Operation Method: Powered Drive Shaft Type: Splined, involute external Drive Shaft Length: 1.620 inches Special Features: W/o drain line and extended studs
Pump Rotation Direction: Clockwise Rotary Pump Design: Gear Operation Method: Powered Drive Shaft Type: Splined, involute external Drive Shaft Length: 1.620 inches Special Features: W/o drain line and extended studs Shelf Life:
Pump Rotation Direction: Clockwise Rotary Pump Design: Gear Operation Method: Powered Drive Shaft Type: Splined, involute external Drive Shaft Length: 1.620 inches Special Features: W/o drain line and extended studs Shelf Life: N/a
Pump Rotation Direction: Clockwise Rotary Pump Design: Gear Operation Method: Powered Drive Shaft Type: Splined, involute external Drive Shaft Length: 1.620 inches Special Features: W/o drain line and extended studs Shelf Life: N/a
Pump Rotation Direction: Clockwise Rotary Pump Design: Gear Operation Method: Powered Drive Shaft Type: Splined, involute external Drive Shaft Length: 1.620 inches Special Features: W/o drain line and extended studs Shelf Life: N/a Unit Of Measure:
Pump Rotation Direction: Clockwise Rotary Pump Design: Gear Operation Method: Powered Drive Shaft Type: Splined, involute external Drive Shaft Length: 1.620 inches Special Features: W/o drain line and extended studs Shelf Life: N/a Unit Of Measure: Demilitarization: