NSN 4320-01-289-1612

Rotary Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-01-289-1612

Prime Mover Quantity:					
1					
Prime Mover Cooling Medium:					
Air					
Mounting Type:					
Base					
Intake Connection Quantity:					
1					
Intake Connection Type:					
Round flange					
Discharge Connection Quantity:					
1					
Discharge Connection Type:					
Round flange					
Current Type:					
Ac					
Media For Which Designed:					
Hydrocarbon fuels and oils					
Pump Quantity:					
1					
Maximum Discharge Flow Rate:					
50.0 gallons per minute					
Discharge Pressure:					
45.0 pounds per square inch gage					
Operating Speed At Rated Capacity:					
520.0 revolutions per minute					
Rotary Pump Design:					
Vane					
Pump Basic Material:					
Bronze					
Prime Mover Type:					
Electric motor					
Inclosure Type:					
Fully enclosed					
Voltage In Volts:					
440.0					
Phase:					
Three					
Frequency In Hertz:					
60.0					
Shelf Life:					
N/a					

N/a

NSN 4320-01-289-1612

Rotary Pump Unit - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

Yes - demil/mli

Fiig:

A19400