

View Online at <https://aerobasegroup.com/nsn/4320-01-293-5109>

Mounting Type:

Flange

Intake Connection Quantity:

2

Discharge Connection Type:

Threaded internal and threaded internal

Drive Connection Type:

Rigid coupled

Media For Which Designed:

Hydrocarbon fuels and oils

Maximum Discharge Flow Rate:

35.5 gallons per minute and 30.0 gallons per minute

Discharge Pressure:

3000.0 pounds per square inch gage

Operating Speed At Rated Capacity:

2800.0 revolutions per minute and 3100.0 revolutions per minute

Pumping Element Operating Position:

Horizontal

Pump Rotation Direction:

Counterclockwise

Rotary Pump Design:

Gear

Operation Method:

Powered

Drive Shaft Type:

Splined, involute external

Drive Shaft Length:

1.690 inches

Unpackaged Unit Length:

13.280 inches

Unpackaged Unit Width:

5.750 inches

Unpackaged Unit Height:

5.350 inches

Discharge Connection Thread Size And Series/type Designator:

1.062-12 un and 1.062-12 un

Intake Connection Thread Size And Series/type Designator:

1.062-12 un

Special Features:

Tandem pump; flange sae 2-bolt, 6.880in.W, 4.000in.H; shaft 7/8in 13 tooth

Supplementary Features:

Second suction port plugged

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A19400