NSN 4320-01-297-0265

Centrifugal Pump Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-01-297-0265

Prime Mover Quantity:
1
Intake Connection Quantity:
1
Intake Connection Type:
Threaded internal
Discharge Connection Quantity:
1
Discharge Connection Type:
Threaded internal
Current Type:
Ac
Media For Which Designed:
Water, fresh
Environmental Protection:
Dripproof
Pump Quantity:
1
Maximum Discharge Flow Rate:
145.0 gallons per minute
Discharge Pressure:
125.0 pounds per square inch gage
Total Head:
35.000 feet
Operating Speed At Rated Capacity:
1750.0 revolutions per minute
Pumping Element Operating Position:
Horizontal
Centrifugal Pump Design:
Radial flow
Centrifugal Pump Impeller Quantity:
1
Prime Mover Type:
Electric motor
Inclosure Type:
Open
Discharge Connection Thread Size And Series/type Designator:
3.000-8 npt
Intake Connection Thread Size And Series/type Designator:
3.000-8 npt
Prime Mover Power Rating:
1.5 horsepower

NSN 4320-01-297-0265

Centrifugal Pump Unit - Page 2 of 2



Voltage In Volts:
208.0
Phase:
Three
Frequency In Hertz:
60.0
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A19400