NSN 4320-01-297-5168

Rotary Pump - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4320-01-297-5168

Mounting Type:
Flange
Intake Connection Quantity:
1
Intake Connection Type:
Rectangular flange
Discharge Connection Quantity:
2
Discharge Connection Type:
Rectangular flange
Drive Connection Type:
Close coupled
Media For Which Designed:
Hydrocarbon fuels and oils
End Application:
3810-01-246-8660 truck mtd crane
Maximum Discharge Flow Rate:
27.5 gallons per minute
Discharge Pressure:
3000.0 pounds per square inch gage
Operating Speed At Rated Capacity:
1800.0 revolutions per minute
Pumping Element Operating Position:
Horizontal
Pump Rotation Direction:
Clockwise
Rotary Pump Design:
Gear
Operation Method:
Powered
Drive Shaft Type:
Splined, involute external
Drive Shaft Length:
2.190 inches
Unpackaged Unit Length:
9.250 inches
Unpackaged Unit Width:
7.680 inches
Unpackaged Unit Height:
6.000 inches
Pump Basic Material:
Iron

NSN 4320-01-297-5168

Rotary Pump - Page 2 of 2



Special	Features:
---------	-----------

Tamdem pump

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A19400