

View Online at <https://aerobasegroup.com/nsn/4320-01-300-5248>

Prime Mover Quantity:

1

Prime Mover Cooling Medium:

Air

Mounting Type:

Base

Intake Connection Quantity:

1

Intake Connection Type:

Threaded internal

Discharge Connection Quantity:

1

Discharge Connection Type:

Threaded internal

Current Type:

Ac

Media For Which Designed:

Hydrocarbon fuels and oils

Pump Quantity:

1

Cooling Method:

Air to air cooled

Maximum Discharge Flow Rate:

50.0 gallons per minute

Discharge Pressure:

250.0 pounds per square inch gage

Operating Speed At Rated Capacity:

1200.0 revolutions per minute

Pumping Element Operating Position:

Horizontal

Rotary Pump Design:

Gear

Unpackaged Unit Length:

31.000 inches

Unpackaged Unit Width:

11.0000 inches

Unpackaged Unit Height:

16.213 inches

Pump Basic Material:

Steel

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Discharge Connection Thread Size And Series/type Designator:

2.500-8 npt

Intake Connection Thread Size And Series/type Designator:

2.500-8 npt

Prime Mover Power Rating:

5.0 horsepower

Special Features:

Flexible coupled

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A19400